

## 引用文献

- Abe, I., T. Watanabe, H. Morita, T. Kohno and H. Noguchi 2006. Engineered biosynthesis of plant polyketides: Manipulation of chalcone synthases. *Org. Lett.* 8: 499-502.
- Akashi, T., T. Aoki and S. Ayabe 1998. Identification of a cytochrome P450 cDNA encoding (2*S*)-flavanone 2-hydroxylase of licorice (*Glycyrrhiza echinata* L.; Fabaceae) which represents licodione synthase and flavone synthase II. *FEBS Lett.* 431: 287-90.
- Akashi, T., M. Fukuchi-Mizutani, T. Aoki, Y. Ueyama, K. Yonekura-Sakakibara, Y. Tanaka, T. Kusumi and S. Ayabe 1999. Molecular cloning and biochemical characterization of a novel cytochrome P450, flavone synthase II, that catalyzes direct conversion of flavanones to flavones. *Plant Cell Physiol.* 40: 1182-1186.
- Aida, R., K. Yoshida, T. Kondo, S. Kishimoto and M. Shibata 2000. Copigmentation gives bluer flowers on transgenic torenia plants with the antisense dihydroflavonol-4- reductase gene. *Plant Sci.* 160: 49-56.
- Anterola, A. M. and N. G. Lewis 2002. Trends in lignin modification: a comprehensive analysis of the effects of genetic manipulations/mutations on lignification and vascular integrity. *Phytochemistry* 61:221-294.
- Aravind, L. and E. V. Koonin 2001. The DNA-repair protein AlkB, EGL-9, and leprecan define new families of 2-oxoglutarate- and iron-dependent dioxygenases. *Genome Biology* 2: research0007.1-0007.8.
- Asen, S., R. N. Stewart, K. H. Norris and D. R. Massie 1970. A stable blue non-metallic co-pigment complex of delphinin and *C*-glycosylflavones in Prof. Blaauw Iris. *Phytochemistry* 9: 619-627.

- Bradford M. M. 1976. A rapid sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Annal. Biochem.* 72: 248-54.
- Britsch, L., W. Heller and H. Grisebach 1981. Conversion of flavanone to flavone, dihydroflavonol and flavonol with an enzyme-system from cell-cultures of parsley. *Z. Naturforsch* 36c: 742-750.
- Britsch, L. and H. Grisebach 1986. Purification and characterization of (2*S*)-flavanone 3-hydroxylase from *Petunia hybrida*. *Eur. J. Biochem.* 156: 569-577.
- Britsch, L., B. Ruhnau-Brich and G. Forkmann 1992. Molecular cloning, sequence analysis, and *in vitro* expression of flavanone 3 $\beta$ -hydroxylase from *Petunia hybrida*. *J. Biol. Chem.* 267: 5380-5387.
- Britsch, L., J. Dedio, H. Saedler and G. Forkmann 1993. Molecular characterization of flavanone 3 $\beta$ -hydroxylase: consensus sequence, comparison with related enzymes and the role of conserved histidines. *Eur. J. Biochem.* 217: 745-754.
- Bucher, P. 1990. Weight matrix descriptions of four eukaryotic RNA polymerase II promoter elements derived from 502 unrelated promoter sequences. *J. Mol. Biol.* 212: 563-578.
- Bugos, R.C., V. L. Chiang and W. H. Campbell 1991. cDNA cloning, sequence analysis and seasonal expression of lignin-bispecific caffeic acid/5-hydroxyferulic acid *O*-methyltransferase of aspen. *Plant Mol. Biol.* 17: 1203-1215.
- Cacace, S., G. Schröder, E. Wehinger, D. Strack, J. Schmidt and J. Schröder 2003. A flavonol *O*-methyltransferase from *Catharanthus roseus* performing two sequential methylations. *Phytochemistry* 62: 127-137.
- Charrier, B., C. Coronado, A. Kondorosi and P. Ratet 1995. Molecular characterization and expression of alfalfa (*Medicago sativa* L.) flavanone-3-hydroxylase and

- dihydroflavonol-4-reductase encoding genes. *Plant Mol. Biol.* 29: 773-786.
- Chomet, P., D. Lisch, K. J. Hardeman, V. L. Chandler and M. Freeling 1991. Identification of a regulatory transposon that controls the *Mutator* transposable element system in maize. *Genetics* 129: 261-270.
- Chopra, S., A. Hoshino, I. Boddu and S. Iida 2006. Flavonoid pigments as tools in molecular genetics. In the science of flavonoids. E. Glotewold (Ed). Springer. New York. pp. 147-173.
- Christensen A. B., P. L. Gregersen, C. E. Olsen and D. B. Collinge 1998. A flavonoid 7-*O*-methyltransferase is expressed in barley leaves in response to pathogen attack. *Plant Mol. Biol.* 36: 219-227.
- Collazo, P., L. Montoliu, P. Puigdomènech and J. Rigau 1992. Structure and expression of lignin *O*-methyltransferase gene from *Zea mays* L.. *Plant Mol. Biol.* 20: 857-867.
- Davies, K. M. 1993. A cDNA clone for flavanone 3-hydroxylase from *Malus*. *Plant Physiol.* 103: 291.
- Davies, K. M. and K. E. Schwinn 1997. Flower colour. In biotechnology of ornamental plants. R.L. Geneve, J.E. Preece and S.A. Merkle (Ed). CAB International. Oxon. UK. pp. 259-294.
- Deboo, G. B., M.C. Albertsen and L. P. Taylor 1995. Flavanone 3-hydroxylase transcripts and flavanol accumulation are temporarily coordinate in maize anthers. *Plant J.* 7: 703-713.
- Dedio, J., H. Saedler and G. Forkmann 1995. Molecular cloning of the flavanone 3 $\beta$ -hydroxylase gene (FHT) from carnation (*Dianthus caryophyllus*) and analysis of stable and unstable FHT mutants. *Theor. Appl. Genet.* 90: 611-617.
- Devine, S. E. and J. D. Boeke 1996. Integration of the yeast retrotransposon Ty1 is targeted to regions upstream of genes transcribed by RNA polymerase III. *Genes Dev.*

10: 620-633.

- Do, C. B., F. Cormier and Y. Nicolas 1995. Isolation and characterization a UDP-glucose: cyanidin 3-*O*-glucosyltransferase from grape cell suspension cultures (*Vitis vinifera* L.). *Plant Sci.* 112: 43-51.
- Fedoroff, N. V., D. B. Furtek and O. E. Nelson Jr. 1984. Cloning of the bronze locus in maize by a simple and generalizable procedure using the transposable controlling element *Activator* (*Ac*). *Proc. Natl. Acad. Sci. USA* 81: 3825-3829.
- Ferrer, J-L., J. M. Jez, M. E. Bowman, R. A. Dixon and J. P. Noel 1999. Structure of chalcone synthase and the molecular basis of plant polyketide biosynthesis. *Nature Struct. Biol.* 6: 775-784.
- Ferrer, J-L., C. Zubieta, R. A. Dixon and J. P. Noel 2005. Crystal structures of alfalfa caffeoyl coenzyme A 3-*O*-methyltransferase. *Plant Physiol.* 137: 1009-1017.
- Flavell, A. J., E. Dunbar, R. Anderson, S. R. Pearce, R. Hartley and A. Kumar 1992. *Ty1-copia* group retrotransposons are ubiquitous and heterogeneous in higher plants. *Nucleic Acids Res.* 20: 3639-3644.
- Folch, J., M. Lees and G. H. Sloane-Stanley 1957. A simple method for the isolation and purification of total lipids from animal tissues. *J. Biol. Chem.* 226: 497-509.
- Ford, C. M., P. K. Boss and P. B. Høj 1998. Cloning and characterization of *Vitis vinifera* UDP-glucose: Flavonoid 3-*O*-glucosyltransferase, a homologue of the enzyme encoded by the maize *Bronze-1* locus that may primary serve to glucosylate anthocyanidins in vivo. *J. Biol. Chem.* 273: 9224-9233.
- Forkmann, G., W. Heller and H. Grisebach 1980. Anthocyanin biosynthesis on flowers of *Matthiola incana*. Flavanone 3- and flavonoid 3'-hydroxylases. *Z. Naturforsch.* 35c: 691-695.
- Forkmann, G. and G. Stotz 1981. Genetic control of flavanone 3-hydroxylase activity and

- flavonoid 3'-hydroxylase activity in *Antirrhinum majus* (snapdragon). *Z. Naturforsch.* 36c: 411-416.
- Forkmann, G. and G. Stotz 1984. Selection and characterization of flavanone 3-hydroxylase mutants of *Dahlia*, *Streptocarpus*, *Verbena* and *Zinnia*. *Planta* 161: 261-265.
- Forkmann, G. and W. Heller 1999. Biosynthesis of flavonoids. In: U. Sankawa, D.H.R. Barton, K. Nakanishi, O. Meth-Cohn (Ed). *Comprehensive Natural Products Chemistry*, Elsevier. London. vol.1. pp. 713-748.
- Frick, S. and T. M. Kutchan 1999. Molecular cloning and functional expression of *O*-methyltransferases common to isoquinoline alkaloid and phenylpropanoid biosynthesis. *Plant J.* 17: 329-339.
- Froemel, S., P. de Vlaming, G. Stotz, H. Wiering, G. Forkmann and A. W. Schram 1985. Genetic and biochemical studies on the conversion of flavanones to dihydroflavonols in flowers of *Petunia hybrida*. *Theor. Appl. Genet.* 70: 561-568.
- Fukuchi-Mizutani, M., H. Okuhara, Y. Fukui, M. Nakao, Y. Katsumoto, K. Yonekura-Sakakibara, T. Kusumi, T. Hase and Y. Tanaka 2003. Biochemical and molecular characterization of a novel UDP-glucose:anthocyanin 3'-*O*-glucosyltransferase, a key enzyme for blue anthocyanin biosynthesis, from gentian. *Plant Physiol.* 132: 1652-1663.
- Fukuda-Tanaka, S., Y. Inagaki, T. Yamaguchi, N. Saito and S. Iida 2000. Colour-enhancing protein in blue petals. *Nature* 407: 581.
- Furtek, D., J. W. Schiefelbein, F. Johnston and O. E. Nelson Jr. 1988. Sequence comparisons of three wild-type *Bronze-1* alleles from *Zea mays*. *Plant Mol. Biol.* 11: 473-481.
- Gang, D. R., N. Lavid, C. Zubieta, F. Chen, T. Beuerle, E. Lewinsohn, J. P. Noel and E.

- Pichersky 2002. Characterization of phenylpropene *O*-methyltransferases from sweet basil: facile change of substrate specificity and convergent evolution within a plant *O*-methyltransferase family. *Plant Cell* 14: 505-519.
- Gilmartin, P. M., L. Sarokin, J. Memelink and N. H. Chua 1990. Molecular light switches for plant genes. *Plant Cell* 2: 369-378.
- Gong, Z., M. Yamazaki, M. Sugiyama, Y. Tanaka and K. Saito 1997. Cloning of molecular analysis of structural genes involved in anthocyanin biosynthesis and expressed in a forma-specific manner in *Perilla frutescens*. *Plant Mol. Biol.* 35: 915-927.
- Goto, T. and T. Kondo 1991. Structure and molecular stacking of anthocyanins- flower color variation. *Angew. Chem. Int. Ed. Engl.* 30: 17-33.
- Gowri, G., R. C. Bugos, W. H. Campbell, C. A. Maxwell and R. A. Dixon 1991. Stress responses in alfalfa (*Medicago sativa* L.): X. Molecular cloning and expression of *S*-adenosyl-*L*-methionine:caffeic acid 3-*O*-methyltransferase, a key enzyme of lignin biosynthesis. *Plant Physiol.* 97: 7-14.
- Grotewold, E., B. J. Drummond, B. Bowen and T. Peterson 1994. The myb-homologous *P* gene controls phlobaphene pigmentation in maize floral organs by directly activating a flavonoid biosynthetic gene subset. *Cell* 76: 543-553.
- 濱砂紳也 2007. ダッチアイリスにおけるカルコン合成酵素遺伝子の単離および解析に関する研究. 宮崎大学, 修士論文.
- Han, J. S., S. T. Szak and J. D. Boeke 2004. Transcriptional disruption by the L1 retrotransposon and implications for mammalian transcriptomes. *Nature* 429: 268-274.
- Han, Y-Y., F. Ming, W. Wang, J-W. Wang, M-M Ye and D-L Shen 2006. Molecular evolution and functional specialization of chalcone synthase superfamily from

- Phalaenopsis* Orchid. *Genetica* 128:429-438.
- Harborn, J. B. and R. J. Grayer 1994. Flavonoids and insects. Biosynthesis of flavonoids, In: J. B. Harborne (Ed). *The flavonoids*. Chapman and Hall. London. pp. 589-618.
- 林 孝三・大谷俊二・佐藤克二・津山 尚・石倉成行 1978. 花色構成物質による日本産 *Iris* の類縁と系統. (財)進化生物学研究所研究報告 1: 1-16.
- Hellar, W. and G. Forkmann 1994. Biosynthesis of flavonoids, In: J. B. Harborne (Ed). *The flavonoids*. Chapman and Hall. London. pp. 499-535.
- Hirochika, H., K. Sugimoto, Y. Otsuki, H. Tsugawa and M. Kanda 1996. Retrotransposons of rice involved in mutations induced by tissue culture. *Proc. Natl. Acad. Sci. USA*. 93: 7783-7788.
- Hirochika, H. 1997. Retrotransposons of rice: their regulation and use for genome analysis, *Plant Mol. Biol.* 35: 231-240.
- Hirochika, H. 2001. Contribution of the *Tbs17* retrotransposon to rice functional genomics, *Curr. Opin. Plant Biol.* 4: 118-122.
- Hirochika, H., E. Guiderdoni, G. An, Y.I. Hsing, M.Y. Eun, C.D. Han, N. Upadhyaya, S. Ramachandran, Q. Zhang, A. Pereira, V. Sundaresan and H. Leung 2004. Rice mutant resources for gene discovery. *Plant Mol. Biol.* 54: 325-334.
- Holton, T. A. and L. A. Keam 1994. Genetic sequences encoding flavonol synthase enzymes and uses therefore. PCT-International patent application, WO94/03606.
- Holton, T. A. and E. C. Cornish 1995. Genetics and biochemistry of anthocyanin biosynthesis. *Plant Cell* 7: 1071-1083.
- Honda, T. and N. Saito 2002. Recent progress in the chemistry of polyacylated anthocyanins as flower color pigments. *Heterocycles* 56: 633-692.
- Hughes, J. and M. A. Hughes 1994. Multiple secondary plant product UDP-glucose

- glucosyltransferase genes expressed in cassava (*Manihot esculenta* Crantz) cotyledons. DNA Sequence 5: 41-49.
- Ibrahim, R. K., A. Bruneau and B. Bantignies 1998. Plant *O*-methyltransferases: molecular analysis, common signature and classification. Plant Mol. Biol. 36: 1-10.
- Iida, S., Y. Morita, J. D. Choi, K. I. Park, A. Hoshino 2004. Genetics and epigenetics in flower pigmentation associated with transposable elements in morning glories. Adv. Biophys. 38: 141-159.
- Ishikura, N. and E. Yamamoto 1978. Anthocyanins in the flowers of Japanese garden iris belonging to 'Higo' line. Kumamoto J. Sci. Biol. 14: 9-15.
- Imayama, T. and T. Yabuya 2003. Characterization of anthocyanins in flowers of Japanese garden iris, *Iris ensata* Thunb. Cytologia 68: 205-210.
- Imayama, T., N. Yoshihara, M. Fukuchi-Mizutani, Y. Tanaka, I. Ino and T. Yabuya 2004. Isolation and characterization of a cDNA clone of UDP-glucose: anthocyanin 5-*O*-glucosyltransferase in *Iris hollandica*. Plant Sci. 167: 1243-1248.
- 岩科 司・大谷俊二 1998. アヤメ属植物のフラボノイド: その構造, 分布, 機能 (総説). 筑波実験植物園研究報告 17: 147-183.
- Jez, J. M., M. E. Bowman, R. A. Dixon and J. P. Noel 2000. Structure and mechanism of the evolutionarily unique plant enzyme chalcones isomerase. Nature Struct. Biol. 7: 786-791.
- Johnson, E. T., H. Yi, B. Shin, J. Oh, H. Cheong and G. Choi 1999. *Cymbidium hybrida* dihydroflavonol 4-reductase does not efficiently reduce dihydrokaempferol to produce orange pelargonidin-type anthocyanins. Plant J. 19: 81-85.
- 勝元幸久・田中良和 2005. 青いバラへの長い歩み. 科学と生物 43: 122-126.
- 神崎好正 1995. ハナショウブの花色素育種に関する基礎的研究. 宮崎大学, 修士論文.
- Kentner, E. K., M. L. Arnold and S. R. Wessler 2003. Characterization of



- high-copy-number retrotransposons from the large genomes of the Louisiana iris species and their use as molecular markers. *Genetics*. 164: 685-697.
- Kerscher, F. and G. Franz 1987. Biosynthesis of vitexin and isovitexin: enzymatic synthesis of the *C*-glucosylflavones vitexin and isovitexin with an enzyme preparation from *Fagopyrum esculentum* M. seedlings. *Z. Naturforsch.* 42C: 519-524.
- Kim, B. G., Y. Lee, H. G. Hur, Y. Lim and J. H. Ahn 2006. Flavonoid 3'-*O*-methyltransferase from rice: cDNA cloning, characterization and functional expression. *Phytochemistry* 67: 387-394.
- Kitada, C., Z. Gong, Y. Tanaka, M. Yamazaki and K. Saito 2001. Differential expression of two cytochrome P450s involved in the biosynthesis of flavones and anthocyanins in chemo-varietal forms of *Perilla frutescens*. *Plant Cell Physiol.* 42: 1338-1344.
- Kobayashi, S., M. Ishimaru, C. K. Ding, H. Yakushiji and N. Goto 2001. Comparison of UDP-glucose: flavonoid 3'-*O*-glucosyltransferase (UFGT) gene sequences between white grapes (*Vitis vinifera*) and their sports with red skin. *Plant Sci.* 160: 543-550.
- Kochs, G. and H. Grisebach 1987. Induction and characterization of a NADPH-dependent flavone synthase from cell cultures of soybean. *Z. Naturforsch.* 42c: 343-348.
- Kondo, T., K. Yoshida, A. Nakagawa, T. Kawai, H. Tamura and T. Goto 1992. Structural basis of blue-color development in flower petals from *Commelina communis*. *Nature* 358: 515-518.
- Kumar, S., K. Tamura and M. Nei 2004. MEGA3: Integrated software for molecular evolutionary genetics analysis and sequence alignment. *Brief. Bioinform.* 5: 150-163.
- Laemmli, U.K. 1970. Cleavage of structural proteins during the assembly of bacteriophage T4. *Nature.* 227: 680-685.

- Lavid, N., J. Wang, M. Shalit, I. Guterman, E. Bar, T. Beuerle, N. Menda, S. Shafir, D. Zamir, Z. Adam, A. Vainstein, D. Weiss, E. Pichersky and E. Lewinsohn 2002. *O*-Methyltransferases involved in the biosynthesis of volatile phenolic derivatives in rose petals. *Plant Physiol.* 129: 1899-1907.
- Levin, H. L. 2002. Newly identified retrotransposons of the *Ty3/gypsy* class in fungi, vertebrates, and plants. In N.L. Craig, R. Craigie, M. Gellert, A. Lambowitz (Ed.) *Mobile DNA II*. ASM Press. Washington DC. pp. 684-704.
- Lewis, N. G. and L. B. Davin 1999. Lignas: biosynthesis and function. In: D.H.R. Barton, K. Nakanishi, O. Meth-Cohn (Ed.) *Comprehensive Natural Products Chemistry*. vol.1. Elsevier. London. pp. 639-712.
- Liew, C. F., C. J. Goh, C. S. Loh and S. H. Lim 1998a. Cloning and characterization of full-length cDNA clones encoding chalcone synthase from the orchid *Bromheadia finlaysoniana*. *Plant Physiol. Biochem.* 36: 647-656.
- Liew, C. F., C. S. Loh, C. J. Goh and S. H. Lim 1998b. The isolation, molecular characterization and expression of dihydroflavonol 4-reductase cDNA in the orchid, *Bromheadia finlaysoniana*. *Plant Sci.* 135: 161-169.
- Lisch, D., P. Chomet and M. Freeling 1995. Genetic characterization of the *Mutator* system in maize: Behavior and regulation of *Mu* transposons in a minimal line. *Genetics* 139: 1777-1796.
- Lukačín, R. and L. Britsch 1997. Identification of strictly conserved histidine and arginine residues as part of the active site in *Petunia hybrida* flavanone 3 $\beta$ -hydroxylase. *Eur. J. Biochem.* 249: 748-757.
- Lukačín, R., I. Gröning, U. Pieper and U. Matern 2000a. Site-directed mutagenesis of the active site serine 290 in flavanone 3 $\beta$ -hydroxylase from *Petunia hybrida*. *Eur. J. Biochem.* 267: 853-860.

- Lukačin, R., I. Gröning, E. Schiltz, L. Britsch and U. Matern 2000b. Purification of recombinant flavanone 3 $\beta$ -hydroxylase from *Petunia hybrida* and assignment of the primary site of proteolytic degradation. *Arch. Biochem. Biophys.* 375: 364-370.
- Martens, S. and G. Forkmann 1998. Genetic control of flavone synthase II activity in flowers of *Gerbera hybrids*. *Phytochemistry* 49: 1953-1958.
- Martens, S. and G. Forkmann 1999. Cloning and expression of flavone synthase II from *Gerbera hybrids*. *Plant J.* 20: 611-618.
- Martens, S., G. Forkmann, U. Matern and R. Lukacin 2001. Cloning of parsley flavone synthase I. *Phytochemistry* 58: 43-46.
- Martin, C., A. Prescott, S. Mackay, J. Bartlett, E. Vrijlandt 1991. Control of anthocyanin biosynthesis in flowers of *Antirrhinum majus*. *Plant J.* 1: 37-49.
- Martin, C. and T. Gerats 1993. Control of pigment biosynthesis genes during petal development. *Plant Cell* 5: 1253-1264.
- Mato, M., Y. Ozeki, Y. Itoh, D. Higeta, K. Yoshitama, S. Teramoto, R. Aida, N. Ishikura and M. Shibata 1998. Isolation and characterization of a cDNA clone of UDP-galactose: flavonoid 3-*O*-galactosyltransferase (UF3GaT) expressed in *Vigna mungo* seedlings. *Plant Cell Physiol.* 39: 1145-1155.
- Meldgaard, M. 1992. Expression of chalcone synthase, dihydroflavonol reductase and flavanone-3-hydroxylase in mutants of barley deficient in anthocyanidin and proanthocyanidin biosynthesis. *Theor. Appl. Genet.* 83: 695-706.
- Miller, K. D., V. Guyon, J. N. S. Evans and W. A. Shuttleworth 1999. Purification, cloning, and heterologous expression of a catalytically efficient flavonol 3-*O*-galactosyl- transferase expressed in the male gametophyte of *Petunia hybrida*. *J. Biol. Chem.* 274: 34011-34019.
- Miyao, A., K. Tanaka, K. Murata, H. Sawaki, S. Takeda, K. Abe, Y. Shinozuka, K.

- Onosato and H. Hirochika 2003. Target site specificity of the *Tbs17* retrotransposon shows a preference for insertion within genes and against insertion in retrotransposon-rich regions of the genome. *Plant Cell* 15: 1771-1780.
- Miyao, A., Y. Iwasaki, H. Kitano, J. I. Itoh, M. Maekawa, K. Murata, O. Yatou, Y. Nagato and H. Hirochika 2006. A large-scale collection of phenotypic data describing an insertional mutant population to facilitate functional analysis of rice genes. *Plant Mol. Biol.* 63: 625-635.
- Mol, J., E. Grotewold and R. Koes 1998. How genes paint flowers and seeds. *Trends Plant Sci.* 3: 212-217.
- Nakatsuka, A., Y. Izumi and M. Yamagishi 2003. Spatial and temporal expression of chalcone synthase and dihydroflavonol 4-reductase genes in the Asiatic hybrid lily. *Plant Sci.* 165: 759-767.
- Nielsen, K., S. C. Deroles, K. R. Markham, M. J. Bradley, E. Podivinsky and D. Manson 2002. Antisense flavonol synthase alters copigmentation and flower color in *lisianthus*. *Mol. Breeding* 9: 217-229.
- Ogata, J., S. Teramoto and K. Yoshitama 1998. Isolation and characterization UDP-glucose: cyanidin 3-*O*-glucosyltransferase from the flower buds of *Senecio x hybridus*. *J. Plant. Res.* 111: 213-216.
- Ohnishi, M., S. Fukada-Tanaka, A. Hoshino, J. Takada, Y. Inagaki and S. Iida 2005. Characterization of a novel Na<sup>+</sup>/H<sup>+</sup> antiporter gene *InNHX2* and comparison of *InNHX2* with *InNHX1*, which is responsible for blue flower coloration by increasing the vacuolar pH in the Japanese morning glory. *Plant Cell Physiol.* 46: 259-267.
- O'Reilly, C., N. S. Shepherd, A. Pereira, Z. Schwarz-Sommer, I. Bertram, D. S. Robertson, P.A. Peterson and H. Saedler 1985. Molecular cloning of the *a1* locus of *Zea mays* using the transposable elements *En* and *Mu1*. *EMBO J.* 4: 877- 882.

- Page, R. D. M. 1996. TREEVIEW: An application to display phylogenetic trees on personal computers. *CABIOS* 12: 357-358.
- Park, K-II., N. Ishikawa, Y. Morita, J-D. Choi, A. Hoshino and S. Iida 2007. A *bHLH* regulatory gene in the common morning glory, *Ipomoea purpurea*, controls anthocyanin biosynthesis in flowers, proanthocyanidin and phytomelanin pigmentation in seeds, and seed trichome formation. *Plant J.* 49: 641-654.
- Pelletier, M. K. and B.Winkel-Shirley 1996. Analysis of flavanone 3-hydroxylase in *Arabidopsis* seedlings. *Plant Physiol.* 111: 339-345.
- Petit, P., T. Granier, B. L. d'Estaintot, C. Manigand, K. Bathany, J. M. Schmitter, V. Lauvergeat, S. Hamdi and B. Gallois 2007. Crystal structure of grape dihydroflavonol 4-reductase, a key enzyme in flavonoid biosynthesis. *J. Mol. Biol.* 368: 1345-1357.
- Pouteau, S., M-A. Grandbastien and M. Boccara 1994. Microbial elicitors of plant defense responses activate transcription of a retrotransposon. *Plant J.* 5: 535-542.
- Poulton, J. E., and V. S. Butt 1975. Purification and properties of *S*-adenosyl-*L*-methionine: caffeic acid *O*-methyltransferase from leaves of spinach beet (*Beta vulgaris* L.). *Biochem. Biophys. Acta.* 403: 301-314.
- Poulton, J., K. Hahlbrock and Grisebach 1976. Enzymic synthesis of lignin precursors. Purification of properties of the *S*-adenosyl-*L*-methionine: caffeic acid 3-*O*-methyltransferase from soybean cell suspension cultures. *Arch. Biochem. Biophys.* 176: 449-456.
- Quattrochio, F., A. Baudry, L. Lepiniec and E. Grotewold 2006. The regulation of flavonoid biosynthesis. In: *The science of flavonoids*, E. Grotewold (Ed). Springer science and business media. NY. pp. 97-122.
- Ralston, E. J., J. J. English and H. K. Dooner 1988. Sequence of three *bronze* alleles of

- maize and correlation with the genetic fine structure. *Genetics* 119: 185-197.
- Roach, P. L., I. J. Clifton, V. Fülöp, K. Harlos, G. J. Barton, J. Hajdu, I. Andersson, C. J. Schofield and J. E. Baldwin 1995. Crystal structure of isopenicillin *N* synthase is the first from a new structural family of enzymes. *Nature* 375: 700-704.
- Robinson, G. M. and R. Robinson 1931. A survey of anthocyanins. I. *Biochem. J.* 25: 1687-1705.
- Sablowski, R. W. M., E. Moyano, F. A. Culianezmacia, W. Schuch, C. Martin and M. Bevan 1994. A flower-specific Myb protein activates transcription of phenylpropanoid biosynthetic genes. *EMBO J.* 13: 128-137.
- Saito, N., Y. Osawa and K. Hayashi 1971. Platyconin, a new acylated anthocyanin in Chinese bell flower, *Platycodon grandiflorum*. *Phytochemistry* 10: 445-447.
- 斎藤規夫 2002. 花の色とアントシアニンの化学. *蛋白質核酸酵素* 47: 202-209.
- Saleh, N. A. M., H. Fritsh, P. Witkop and H. Grisebach 1976a. UDP-glucose cyanidin 3-*O*-glucosyltransferase from cell cultures of *Haplopappus gracilis*. *Planta* 133: 41-45.
- Saleh, N. A. M., J. E. Poulton and H. Grisebach 1976b. UDP-glucose cyanidin 3-*O*-glucosyltransferase from red cabbage seedlings. *Phytochemistry*. 15: 1865-1868.
- Schmitt, D., A. E. Pakusch and U. Matern 1991. Molecular cloning, induction, and taxonomic distribution of caffeoyl 3-*O*-methyltransferase, an enzyme involved in disease resistance. *J. Biol. Chem.* 266: 17416-17423.
- Schröder, G., E. Wehinger, R. Lukačín, F. Wellmann, W. Seefelder, W. Schwab and J. Schröder 2004. Flavonoid methylation: a novel 4'-*O*-methyltransferase from *Catharanthus roseus*, and evidence that partially methylated flavanones are substrates of four different flavonoid dioxygenases. *Phytochemistry* 65: 1085-1094.
- Schwinn, K. E. and K. M. Davies 2004. Flavonoids. In *Plant pigment and their*

- manipulation, K. Davies (Ed) Blackwell Publishing Ltd. Oxford. pp. 92-149.
- Selman-Housein, G., M. Lopez, D. Hernandez, L. Civardi, F. Miranda, J. Rigau and P. Puigdomenech 1999. Molecular cloning of cDNAs coding for three sugarcane enzymes involved in lignification. *Plant Sci.* 143: 163-171.
- Shen, G., Y. Pang, W. Wu, Z. Deng, L. Zhao, Y. Cao, X. Sun and K. Tang 2006. Cloning and characterization of a flavanone 3-hydroxyase from *Ginkgo biloba*. *Biosci. Rep.* 26: 19-29.
- Shiono, M., N. Matsugaki and K. Takeda 2005. Phytochemistry: structure of the blue cornflower pigment. *Nature* 436: 791.
- Siqueira, J. O., G. R. Safir and M. G. Nair 1991. Stimulation of vesicular-arbuscular mycorrhiza formation and growth of white clover by flavonoid compounds. *New Phytologist* 118: 87-93.
- Sparvoli, F., C. Martin, A. Scienza, G. Gavazzi and C. Tonelli 1994. Cloning and molecular analysis of structural genes involved in flavonoid and stilbene biosynthesis in grape (*Vitis vinifera* L.). *Plant Mol. Biol.* 24: 743-755.
- Springob, K., J. Nakajima, M. Yamazaki and K. Saito 2003. Recent advances in the biosynthesis and accumulation of anthocyanins. *Nat. Prod. Rep.* 20: 288-303.
- Stotz, G. and G. Forkmann 1981. Oxidation of flavanones to flavones with flower extracts of *Antirrhinum majus* (snapdragon). *Z. Naturforsch.* 36c: 737-741.
- Su, V., and B-D. Hsu 2003. Cloning and expression of a putative cytochrome P450 gene that influences the colour of *Phalaenopsis* flowers. *Biotechnology Letters* 25: 1933-1939.
- 武田幸作 1988. アントシアニンによる花色の変異に関する最近の諸問題. 増訂植物色素, 林 孝三編, 養賢堂, 東京, pp. 464-473.
- Tamagnone, L., A. Merida, A. Parr, S. Mackay, F. A. Culianez-Macia, K. Roberts and C.

- Martin 1998. The AmMYB308 and AmMYB330 transcription factors from *Antirrhinum* regulate phenylpropanoid and lignin biosynthesis in transgenic tobacco. *Plant Cell* 10: 135-154.
- Tanaka, Y., Y. Fukui, M. Fukuchi-Mizutani, T. A. Holton, E. Higgins and T. Kusumi 1995. Molecular cloning and characterization of *Rosa hybrida* dihydroflavonol 4-reductase gene. *Plant Cell Physiol.* 1995, 36: 1023-1031.
- Tanaka, Y., K. Yonekura, M. Fukuchi-Mizutani, Y. Fukui, H. Fujikawa, T. Ashikari and T. Kusumi 1996. Molecular and biochemical characterization of three anthocyanin synthetic enzymes from *Gentiana triflora*. *Plant Cell Physiol.* 37: 711-716.
- Tanaka, Y., S. Tsuda and T. Kusumi 1998. Metabolic engineering to modify flower color. *Plant Cell Physiol.* 39: 1119-1126.
- 田中良和・勝元幸久 2002. 花の色のバイオテクノロジー. 蛋白質 核酸 酵素 47: 225-230.
- Tanaka, Y. and F. Brugliera 2006. Flower colour. In: C.C. Ainsworth (Ed). *Flowering and its manipulation*. Blackwell Publishing Ltd. London. pp. 201-239.
- Thompson, J. D., D. G. Higgins and T. J. Gibson 1994. CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice. *Nucleic Acids Res.* 22: 4673-4680.
- Urao, T., K. Yamaguchi-Shinozaki, S. Urao and K. Shinozaki 1993. An *Arabidopsis* myb homolog is induced by dehydration stress and its gene product binds to the conserved MYB recognition sequence. *Plant Cell* 5: 1529-1539.
- van Doorn, W. G., P. A. Balk, A. M. van Houwelingen, F. A. Hoeberichts, R. D. Hall, O. Vost, C. van der Schoot and M. F. van Wordrangen 2003. Gene expression during anthesis and senescence in *Iris* flowers. *Plant Mol. Biol.* 53: 845-863.
- Villain, P., R. Mache and D. X. Zhou 1996. The mechanism of GT-element-mediated cell



- type specific transcriptional control. *J. Biol. Chem.* 51: 32593-32598.
- Wellmann, F., U. Matern and R. Lukacin 2004. Significance of C-terminal sequence elements for *Petunia* flavanone 3-beta-hydroxylase activity. *FEBS Lett.* 561: 149-154.
- Wilmouth, R. C., J. J. Turnbull, R. W. D. Welford, I. J. Clifton, A. G. Prescott and C. J. Schofield 2002. Structure and Mechanism of Anthocyanidin Synthase from *Arabidopsis thaliana*. *Structure* 10: 93-103.
- Wise, R. P., W. Rohde and F. Salamini 1990. Nucleotide sequence of the *Bronze-1* homologous gene from *Hordeum vulgare*, *Plant Mol. Biol.* 14: 277-279.
- Wu, S., N. Watanabe, S. Mita, Y. Ueda, M. Shibuya and Y. Ebizuka 2003. Two *O*-methyltransferases isolated from flower petals of *Rosa chinensis* var. *spontanea* involved in scent biosynthesis. *J Biosci. Bioeng.* 96: 119-128.
- Xiong, Y. and T. H. Eickbush 1990. Origin and evolution of retroelements based upon their reverse transcriptase sequences. *EMBO J.* 9: 3353-3362.
- Yabuya, T. 1991. High-performance liquid chromatographic analysis of anthocyanins in Japanese garden iris and its wild forms. *Euphytica.* 52: 215-219.
- Yabuya, T., M. Nakamura, and T. Iwashina 1994a. Flower color variations due to copigments in Japanese garden iris, *Iris ensata* Thunb.. *Proc. of IPBA, Rogla,* 5-7: 239-250.
- Yabuya, T., M. Nakamura and A. Yamasaki 1994b. *p*-Coumaroyl glycosides of Japanese garden iris, *Iris ensata* Thunb. *Euphytica.* 74: 47-50.
- Yabuya, T., T. Imayama, T. Shimomura, R. Uruashihara and M. Yamaguchi 2001b. New types of major anthocyanins detected in Japanese garden iris and its wild forms. *Euphytica.* 118: 253-256.
- Yabuya, T. M. Nakamura and T. Iwashina, M. Yamaguchi and T. Takehara 1997. Anthocyanin-flavone copigmentation in bluish purple flowers of Japanese garden iris

- (*Iris ensata* Thunb.). *Euphytica* 98: 163-167.
- Yabuya, T., M. Saito, T. Iwashina and M. Yamaguchi 2000. Stability of flower colors due to anthocyanin-flavone copigmentation in Japanese garden iris, *Iris ensata* Thunb. *Euphytica* 115: 1-5.
- Yabuya, T., M. Yamaguchi, Y. Fukui, K. Katoh, T. Imayama and I. Ino 2001a. Characterization of anthocyanin *p*-coumaroyltransferase in flowers of *Iris ensata*. *Plant Sci.* 160: 499-503.
- Yabuya, T., M. Yamaguchi, T. Imayama, K. Katoh and I. Ino 2002. Anthocyanin 5-*O*-glucosyltransferase in flowers of *Iris ensata*. *Plant Sci.* 162: 779-784.
- Yamaguchi, T., S. Fukada-Tanaka, Y. Inagaki, N. Saito, K. Yonekura-Sakakibara, Y. Tanaka, T. Kusumi and S. Iida 2001. Genes encoding the vacuolar Na<sup>+</sup>/H<sup>+</sup> exchanger and flower coloration. *Plant Cell Physiol.* 42: 451-461.
- Yamazaki, M., E. Yamagishi, Z. Gong, M. Fukuchi-Mizutani, Y. Fukui, Y. Tanaka, T. Kusumi, M. Yamaguchi and K. Saito 2002. Two flavonoid glucosyltransferase from *Petunia hybrida*: molecular cloning, biochemical properties and developmentally regulated expression. *Plant Mol. Biol.* 48: 401-411.
- Yanagisawa, S. and R. J. Schmidt 1999. Diversity and similarity among recognition sequences of Dof transcription factors. *Plant J.* 17 :209-214.
- Yazaki, Y. 1976. Co-pigmentation and the color change with age in petals of *Fuchsia hybrida*. *Bot. Mag. Tokyo* 89: 45-57.
- Yoshida, K., T. Kondo, Y. Okazaki and K. Katou 1995. Cause of blue petal colour. *Nature* 373: 291.
- Yoshida, K., M. Kawachi, M. Mori, M. Maeshima, M. Kondo, M. Nishimura and T. Kondo 2005. The involvement of tonoplast proton pumps and Na<sup>+</sup>(K<sup>+</sup>)/H<sup>+</sup> exchangers in the change of petal color during flower opening of morning glory, *Ipomoea tricolor*

- cv. Heavenly Blue. *Plant Cell Physiol.* 46: 407-415.
- Yoshihara N., T. Imayama, Y. Matsuo, M. Fukuchi-Mizutani, Y. Tanaka, I. Ino and T. Yabuya 2006. Characterization of cDNA clones encoding anthocyanin 3-*p*-coumaroyltransferase from *Iris hollandica*. *Plant Sci.* 171: 632-639.
- Zubieta C., X. Z. He, R. A. Dixon and J. P. Noel 2001. Structures of two natural product methyltransferases reveal the basis for substrate specificity in plant *O*-methyltransferases. *Nature Struct. Biol.* 8: 271-279.
- Zubieta, C., P. Kota, J. L. Ferrer, R. A. Dixon and J.P. Noel 2002. Structural basis for the modulation of lignin monomer methylation by caffeic acid/5-hydroxyferulic acid 3/5-*O*-methyltransferase. *Plant Cell* 14: 1265-1277.
- Zou, S., N. Ke, J. M. Kim and D. F. Voytas 1996. The *Saccharomyces* retrotransposon Ty5 integrates preferentially into regions of silent chromatin at the telomeres and mating loci. *Genes Dev.* 10: 634-645.