



Pathological and Molecular Biological Studies on
Canine Distemper

メタデータ	言語: eng 出版者: 公開日: 2008-02-01 キーワード (Ja): キーワード (En): 作成者: Lan, Nguyen Thi メールアドレス: 所属:
URL	http://hdl.handle.net/10458/1142

References

- Adams, E. M., Brown, M. C., Nunge, M., Krych, M. Atkinson, J. P., 1991. Contribution of the repeating domains of membrane cofactor protein (MCP; CD46) of the complement system to ligand binding and cofactor activity. *J.Immunol.* 147, 3005–3011.
- Alldinger, S., Baumgartner, W., van Moll, P., Orvell, C., 1993. In vivo and in vitro expression of canine distemper viral proteins in dogs and non-domestic carnivores. *Arch. Virol.* 132, 421-428.
- Andres, O., Obojes, K., Kim, K. S., terMeulen, V., Schneider-Schaulies, J., 2003. CD46- and CD150-independent endothelial cell infection with wild-type measles viruses. *J.Gen.Virol.* 84, 1189-1197.
- Appel, M.J., 1969. Pathogenesis of canine distemper. *Am. J. Vet. Res.* 30, 1167-1182.
- Appel, M. and Gillespie, J., 1972. Canine distemper virus. *Viol. Monographs.* 11, Springer-Verlag, New York.
- Appel, M.J.G., 1978. Reversion to virulence of attenuated canine distemper virus in vivo and in vitro. *Gen. Virol.* 41, 385-393.
- Appel, M.J.,1987. Canine distemper virus. In: *Virus infections of carnivores*, Appel, M.J. Eds, Elsevier Science Publishers, Amsterdam, The Netherlands, pp. 133–159.
- Appel, M.J., Pearce-Kelling, S. Summers, B.A., 1992. Dog lymphocyte cultures facilitate the isolation and growth of virulent canine distemper virus. *J. Vet. Diagn. Invest.* 4, 258-263.
- Appel, M.J., Summers, B.A., 1995. Pathogenicity of morbilliviruses for terrestrial carnivores. *Vet. Microbiol.* 44, 187-191.
- Barrett, T.,1985. Nucleotide sequence . *Virus res.* 3, 367-372.
- Barrett, T., Visser, I. K. G., Mamaev, L., Goatley, L., van Bresse, M. -F.,

- Osterhaus, A. D. M. E., 1993. Dolphin and porpoise morbilliviruses are genetically distinct from phocine distemper virus. *Virology* 193, 1010-1012.
- Barrett, T., 1999. Morbillivirus infections, with special emphasis on morbilliviruses of carnivores. *Veterinary Microbiology* 69, 3-13
- Baumgartner, W., Orvell, C., Reinacher, M., 1989. Naturally occurring canine distemper virus encephalitis: distribution and expression of viral polypeptides in nervous tissues. *Acta Neuropathologica* 78, 504-512.
- Bellini, W.J., Englund, G., Richardson, C.D., Rozenblatt, S., Lazzarini, R.A., 1986. Matrix genes of measles virus and canine distemper virus: cloning, nucleotide sequences, and deduced amino acid sequences. *Journal of Virology* 58, 408-416.
- Blixenkron-Møller, M., Svansson, V., Appel, M., Krogsrud, J., Have, P. and Örvell, C., 1992. Antigenic relationships between field isolates of morbilliviruses from different carnivores. *Archiv für Virologie* 123, 279-294.
- Blixenkron-Møller, M., Svansson, V., Have, P., Örvell, C., Appel, M., Pedersen, I.R., Dietz, H.H., Henriksen, P., 1993. Studies on manifestations of canine distemper virus infection in an urban dog population. *Veterinary Microbiology* 37, 163-173.
- Bolt, G., Jensen, T.D., Gottschalck, E., Arctander, P., Appel, M.J., Buckland, R., Blixenkron-Møller, M., 1997. Genetic diversity of the attachment (H) protein gene of current field isolates of canine distemper virus. *Journal of General Virology* 78, 367-372.
- Bussel, R.H., Karzon, D.T., 1965. Canine distemper virus in primary and continuous cell lines of human and monkey. *Archiv für Gesamte Virusforschung* 17, 163-202.
- Carpenter, M.A., Appel, M.J., Roelke-Parker, M.E., Munson, L., Hofer, H., East, M., O'Brien, S.J., 1998. Genetic characterization of canine distemper virus in Serengeti carnivores. *Veterinary Immunology and Immunopathology* 65, 259-266.
- Cattaneo, R., Rose, J. K., 1993. Cell fusion by the envelope glycoproteins of persistent

- measles viruses which caused lethal human brain disease. *J. Virol.* 67, 1493–1502.
- Curran, M.D., Clarke, D.K., Rima, B.K., 1991. The nucleotide sequence of the gene encoding the attachment protein H of canine distemper virus. *J. Gen. Virol.* 72, 443-447.
- de Swart, R.L., Harder, T.C., Ross, P.S., Vos, H.W., Osterhaus, A.D., 1995. Morbilliviruses and morbillivirus diseases of marine mammals. *Infect. Agent. Dis.* 4, 125-130.
- Dorig, R., Marcel, A., Chopra, A., Richardson, C. D., 1993. The human CD46 molecule is a receptor for measles virus (Edmonston strain). *Cell* 75, 295–305.
- Ebata, S.N., Cote, M.J., Kang, C.Y., Dimock, K., 1991. The fusion and hemagglutinin-neuraminidase glycoproteins of human parainfluenza virus 3 are both required for fusion. *Virology* 183, 437-441.
- Fraser, D.W., 1997. Paget's disease of bone. *Curr. Opin. Rheumatol.* 9, 347-354
- Galbraith, S.E., Tiwari, A., Baron, M. D., Lund, B. T., Barrett, T., Cosby, S. L., 1998. Morbillivirus Downregulation of CD46. *J. Virol.* 72, 10292-10297.
- Gemma, T., Iwatsuki, K., Shin, Y.S., Yoshida, E., Kai, C., Mikami, T., 1996a. Serological analysis of canine distemper virus using an immunocapture ELISA. *J. Vet. Med. Sci.* 58, 791-794.
- Gemma, T., Watari, T., Akiyama, K., Miyashita, N., Shin, Y.S., Iwatsuki, K., Kai, C., Mikami, T., 1996b. Epidemiological observations on recent outbreaks of canine distemper in Tokyo area. *J. Vet. Med. Sci.* 58, 547-550.
- Greene, C.E., Appel M.J: Canine distemper. In: *Infectious Diseases of the dog and cat*, 2nd ed. Greene CE, pp. 9-22. W.B. Saunders company, Philadelphia, PA, 1998.
- Haig, D.A. 1948. Preliminary note on the cultivation of green's distemperoid virus in fertile hen eggs. *Onderstepoort J. Vet. Sci. Anim. Ind.* 23, 149-155.

- Hamburger, D., Griot, C., Zurbriggen, A., Orvell, C., Vandeveld, M., 1991. Loss of virulence of canine distemper virus is associated with a structural change recognized by a monoclonal antibody. *Exp.* 47, 842-845.
- Harder, T.C., Osterhaus, A.D., 1997. Canine distemper virus--a morbillivirus in search of new hosts? *Trends Microbiol.* 5, 120-124.
- Haas, L., Martens, W., Greiser-Wilke, I., Mamaev, L., Butina, T., Maack, D., Barrett, T., 1997. Analysis of the haemagglutinin gene of current wild-type canine distemper virus isolates from Germany. *Virus Res.* 48, 165-171.
- Hashimoto, M., Une, Y., Mochizuki, M., 2001. Hemagglutinin genotype profiles of canine distemper virus from domestic dogs in Japan. *Arch. Virol.* 146, 149-55.
- Hashimoto, K., Ono, N., Tatsuo, H., Minagawa, H., Makoto, T., Takeuchi, K., Yanagi, Y., 2002. SLAM (CD150)-Independent Measles Virus Entry as Revealed by Recombinant Virus Expressing Green Fluorescent Protein. *J. Virol.* 76, 6743-6749.
- Hirama, K., Goto, Y., Uema, M., Endo, Y., Miura, R., Kai, C., 2004. Phylogenetic analysis of the hemagglutinin (H) gene of canine distemper viruses isolated from wild masked palm civets (*Paguma larvata*). *J. Vet. Med. Sci.* 66, 1575-1578.
- Hirayama, N., Senda, M., Yamamoto, H., Kurata, K. 1986. Comparison of biological and molecular properties among Canine distemper virus strains. *Jpn. J. Vet. Sci.* 48, 259-265.
- Hirayama, N., Senda, M., Nakashima, N., Takagi, M., Sugiyama, M., Yoshikawa, Y., Yamanouchi, K., 1991. Protective effects of monoclonal antibodies against lethal canine distemper virus infection in mice. *Gen. Virol.* 72, 2827-2830.
- Hodge, M.J., Wolfson, C., 1997. Canine distemper virus and multiple sclerosis. *Neurol.* 49, 62-69
- Hourcade, D., Holers, V. M., Atkinson, J. P., 1989. The regulators of complement

- activation (RCA) gene cluster. *Adv.Immunol.* 6, 381–416.
- Iwatsuki, K., Okita, M., Ochikubo, F., Gemma, T., Shin, Y.S., Miyashita, N., Mikami, T., Kai, C., 1995. Immunohistochemical analysis of the lymphoid organs of dogs naturally infected with canine distemper virus. *J. Com. Pathol.* 113, 185-190.
- Iwatsuki, K., Miyashita, N., Yoshida, E., Gemma, T., Shin, Y.S., Mori, T., Hirayama, N., Kai, C. and Mikami, T., 1997. Molecular and phylogenetic analyses of the haemagglutinin (H) proteins of field isolates of canine distemper virus from naturally infected dogs. *Gen. Virol.* 78, 373-380.
- Johnson, G.C., Fulks, K., Krakowka, S. (1985). Plaque identification of strand-forming canine distemper virus by staphylococcal protein A-mediated reverse passive haemadsorption. *J. Virol. Method.* 10, 127-134.
- Kai, C., Ochikubo, F., Okita, M., Iinuma, T., Mikami, T., Kobune, F., Yamanouchi, K., 1993. Use of B95a cells for isolation of canine distemper virus from clinical cases. *J. Vet. Med. Sci.* 55, 1067-1070.
- Kai, K., Yukimune, M., Murata, T., Uzuka, Y., Kanoe, M., Matsumoto, H. 1992. Humoral immune responses of cats to feline infectious peritonitis virus infection. *J. Vet. Med. Sci.* 54, 258-263.
- Karber, G. 1931 Beitrag zur kollektiven behandlung pharmakologischer Reihenversuche. *Arch.Expe.Pathol.Pharm.* 162, 480
- Kouomou, D.W., Wild, T.F., 2002. Adaptation of wild-type measles virus to tissue culture. *J. Virol.* 76, 1505-1509.
- Krakowka, S., Cockerell, G., Koestner, A., 1975. Effects of canine distemper virus infection on lymphoid function in vitro and in vivo. *Infect. Immun.* 11, 1069-1078.
- Krakowka, S., Higgins, R.J., Koestner, A., 1980. Canine distemper virus: review of structural and functional modulations in lymphoid tissues. *Am. J. Vet. Res.* 41,

284-292.

- Krakovka, S., Axthelm, M.K., Johnson, G.C., 1985. Canine distemper virus. In: Olsen, R.G., Krakowka, S., Blakeslee, J.R. (Eds.), *Comparative Pathobiology of Viral Diseases*. CRC Press Inc., pp. 137–164.
- Kumagai, K., Yamaguchi, R., Uchida, K., Tateyama, S., 2004. Lymphoid apoptosis in acute canine distemper. *J. Vet. Med. Sci.* 66, 175-181.
- Lamb, A. and Kolakofsky, D. 1996. Paramyxoviridae: The virus and their replication. In: Fields, B.N., Kmpf, D.M. and Howley, P.M. (Eds), *Fields virology*. Lippincott-Raven Publishers, Philadelphia, pp. 1177-1204
- Lamb, R.A., 1993. Paramyxovirus Fusion: A Hypothesis for Changes. *Virology* 197, 1-11.
- Lan, N.T., Yamaguchi, R., Kai, K., Uchida, K., Kato, A., Tateyama, S., 2005a. The Growth Profiles of Three Types of Canine Distemper Virus on Vero Cells Expressing Canine Signaling Lymphocyte Activation Molecule. *J. Vet. Med. Sci.* 67, 491-495
- Lan, N. T., Yamaguchi, R., Uchida, K., Sugano, S., Tateyama, S., 2005b. Growth Profiles of Recent Canine Distemper Isolates on Vero Cells Expressing Canine Signaling Lymphocyte Activation Molecule (SLAM). *J. Comp. Pathol.* 133, 77-81.
- Lan, N. T., Yamaguchi, R., Furuya, Y., Inomata, A., Ngamkala, S., Naganobu, K., Kai, K., Mochizuki, M., Kobayashi, Y., Uchida, K., Tateyama, S., 2005c. Pathogenesis and Phylogenetic Analyses of Canine Distemper Virus Strain 007Lm, a New Isolate in Dogs. *Vet. Microbiol.* 110, 197-207.
- Lan, N. T., Yamaguchi, R., Furuya, Y., Inomata, A., Uchida, K., Sugano, S., Tateyama, S., 2005d. Comparative Analyses of Canine Distemper Viral Isolates From Clinical Cases of Canine Distemper in Vaccinated Dogs. *Vet. Microbiol.* 115, 32-42.
- Lan, N. T., Yamaguchi, R., Uchida, K., Sugano, S., Tateyama, S., 2005e. Comparison of molecular analysis and growth properties of two different clusters of canine

- distemper viruses recently isolated in Japan. *J. Vet. Med. Sci.*(Submitted).
- Lecouturier, V., Fayolle, J., Caballero, M., Carabana, J., Celma, M., Fernandez-Munoz, R., Wild, T., Buckland, R., 1996. Identification of two amino acids in the hemagglutinin glycoprotein of measles virus (MV) that govern hemadsorption, HeLa cell fusion, and CD46 downregulation: phenotypic markers that differentiate vaccine and wild-type MV strains. *J.Virol.* 70, 4200–4204.
- Lednicky, J.A., Meehan, T.P., Kinsel, M.J., Dubach, J., Hungerford, L.L., Sarich, N.A., Witecki, K.E., Braid, M.D., Pedrak, C. and Houde, C.M. 2004. Effective primary isolation of wild-type Canine distemper virus in MDCK, MV1 Lu and Vero cells without nucleotide sequence changes within the entire haemagglutinin protein gene and in subgenomic sections of the fusion and phospho protein genes. *J. Virol. Methods.* 118, 147-157.
- Lednicky, J.A., Dubach, J., Kinsel, M.J., Meehan, T.P., Bocchetta, M., Hungerford, L.L., Sarich, N.A., Witecki, K.E., Braid, M.D., Pedrak, C., Houde, C.M., 2004. Genetically distant American Canine distemper virus lineages have recently caused epizootics with somewhat different characteristics in raccoons living around a large suburban zoo in the USA. *Virol. J.* 1, 1-14.
- Liszewski, M. K., Post, T. W., Atkinson, J. P., 1991. Membrane cofactor protein (MCP or CD46): newest member of the regulators of complement activation gene cluster. *Annu Rev.Immunol.* 9, 431–455.
- Liszewski, M. K., Atkinson, J. P., 1992. Membrane cofactor protein. *Curr Top Microbiol. Immunol.* 178, 45–60.
- Loffler, S., Lottspeich, F., Lanza, F., Azorsa, D.O., ter Meulen, V., Schneider-Schaulies, J. 1997. CD9, a tetraspan transmembrane protein, renders cells susceptible to canine distemper virus. *J Virol.* 71, 42-49.

- Manchester, M., Liszewski, M. K., Atkinson, J. P., Oldstone, M. B. A., 1994. Multiple isoforms of CD46 (membrane cofactor protein) serve as receptors for measles virus. *Proc.Natl.Acad.Sci. USA* .91, 2161–2165.
- Manchester, M., Valsamakis, A., Kaufman, R., Liszewski, M. K., Atkinson, J. P., Lublin, D. M., Oldstone, M. B. A., 1995. Measles virus and C3 binding sites are distinct on membrane cofactor protein (MCP; CD46). *Proc.Natl.Acad.Sci. USA*. 92, 2303–2307.
- Machida, N., Kiryu, K., Oh-ishi, K., Kanda, E., Izumisawa, N., Nakamura, T., 1993. Pathology and epidemiology of canine distemper in raccoon dogs (*Nyctereutes procyonoides*). *J. Comp. Pathol.* 108, 383-392.
- McIlhatton, M.A., Curran, M.D., Rima, B.K., 1997. Nucleotide sequence analysis of the large (L) genes of phocine distemper virus and canine distemper virus (corrected sequence). *J. Gen. Virol.* 78, 571-576.
- Mee, A.P., Sharpe, P.T., 1993. Dogs, distemper and Paget's disease. *Bioessays*. 15, 783-789.
- Metzler, A.E., Krakowka, S., Axthelm, M.K., Gorham, J.R. 1984. In vitro propagation of canine distemper virus: establishment of persistent infection in Vero cells. *Am. J. Vet. Res.* 45, 2211-2215.
- Mochizuki, M., Hashimoto, M., Hagiwara, S., Yoshida, Y., Ishiguro, S., 1999. Genotypes of canine distemper virus determined by analysis of the hemagglutinin genes of recent isolates from dogs in Japan. *J. Clinic. Microbiol.* 37, 2936-2942.
- Morikawa, Y., Yoshikawa, Y., Yamanouchi, K., 1988. Characterization of canine distemper viruses adapted to human neural cells. *Microbiol. Immunol.* 32, 1211-1220.
- Naniche, D., Wild, T. F., Roubourdin-Combe, C., Gerlier, D., 1992. A monoclonal antibody recognized a human cell surface glycoprotein involved in measles virus

- binding. *J.Gen.Virol.* 73, 2617-2624.
- Naniche, D., Varior-Krishnan, G., Cervino, F., Wild, T. F., Rossi, B., Rabourdin-Combe, C., Gerlier, D., 1993. Human membrane cofactor protein (CD46) acts as a cellular receptor for measles virus. *J.Virol.* 67, 6025–6032.
- Nielsen, L., Blixenkroner-Møller, M., Thylstrup, M., Hansen, N. J. V., Bolt, G., 2001. Adaptation of wild-type measles virus to CD46 receptor usage . *Arch. Virol.* 146, 197–208
- Nielsen, L., Andersen, M.K., Jensen, T.D., Blixenkroner-Møller, M., Bolt,G., 2003. Changes in the receptor-binding haemagglutinin protein of wild-type morbilliviruses are not required for adaptation to Vero cells. *Virus Gen.* 27 , 157– 162.
- Orvell, C., Blixenkroner-Møller, M., Svansson, V., Have, P., 1990. Immunological relationships between phocid and canine distemper virus studied with monoclonal antibodies. *J.Gen.Virol.* 71, 2085-2092.
- Plattet, P., Zweifel, C., Wiederkehr, C., Belloy, L., Cherpillod, P., Zurbriggen, A., Wittek, R., 2004. Recovery of a persistent Canine distemper virus expressing the enhanced green fluorescent protein from cloned cDNA. *Virus Res.* 101, 147-153.
- Plattet, P., Rivals, J.P., Zuber, B., Brunner, J.M., Zurbriggen, A., Wittek, R., 2005. The fusion protein of wild-type canine distemper virus is a major determinant of persistent infection. *Virol.* 337, 312-326.
- Poste, G. 1971. The growth and cytopathogenicity of virulent and attenuated strains of canine distemper virus in dog and ferret macrophages. *J. Comp. Pathol.* 81, 49-54.
- Pringle, C.R., 1999. Virus Taxonomy at the XIth International Congress of Virology, Sydney, Australia. *Arch.Virol.* 144, 2065-2070.
- Rota, J.S., Hummel, K.B., Rota, P.A., Bellini, W.J., 1992. Genetic variability of the glycoprotein genes of current wild-type measles isolates. *Virol.* 188, 135-142.

- Rzezutka, A. and Mizak, B., 2002. Application of N-PCR for diagnosis of distemper in dogs and further animals. *Vet. Microbiol.* 88, 95-103.
- Sakaguchi, M., Yoshikawa, Y., Yamanouchi, K., Sata, T., Nagashima, K., Takeda, K., 1986. Growth of measles virus in epithelial and lymphoid tissues of cynomolgus monkeys. *Microbiol. Immunol.* 30, 1067-1073.
- Schmid, E., Zurbriggen, A., Gassen, U., Rima, B., ter Meulen, V., Schneider-Schaulies, J. 2000. Antibodies to CD9, a tetraspan transmembrane protein, inhibit canine distemper virus-induced cell-cell fusion but not virus-cell fusion. *J. Virol.*, 74, 7554-7561.
- Seki, F., Ono, N., Yamaguchi, R., Yanagi, Y. 2003. Efficient isolation of wild strains of canine distemper virus in Vero cells expressing canine SLAM (CD150) and their adaptability to marmoset B95a cells. *J. Virol.*, 77, 9943-9950.
- Seya, T., Turner, J., Atkinson, J. P., 1986. Purification and characterization of a membrane protein (gp45-70) that is a cofactor for cleavage of C3b and C4b. *J. Exp. Med.* 163, 837-855.
- Shin, Y., Mori, T., Okita, M., Gemma, T., Kai, C., Mikami, T., 1995. Detection of canine distemper virus nucleocapsid protein gene in canine peripheral blood mononuclear cells by RT-PCR. *J. Vet. Med. Sci.* 57, 439-445.
- Shin, Y.S., Mori, T., Tomonaga, K., Iwatsuki, K., Kai, C., Mikami, T. 1997. Expression of the nucleocapsid protein gene of the canine distemper virus. *J. Vet. Med. Sci.* 59, 51-53
- Shishido, A., Yamanouchi, K., Hikita, M., Sato, T., Fukuda, A., Kobune, F. 1967. Development of a cell culture system susceptible to measles, canine distemper, and rinderpest viruses. *Arch. Gesamte Virusforsch.* 22, 364-380.
- Sidhu, M.S., Husar, W., Cook, S.D., Dowling, P.C., Udem, S.A., 1993. Canine distemper

- terminal and intergenic non-protein coding nucleotide sequences: completion of the entire CDV genome sequence. *Virology*. 193, 66-72.
- Stanton, J.B., Givens, L., Evermann, J.F., Brown, C.C., 2003. Immunohistochemical analysis of two strains of lion (*Panthera leo*)-adapted canine distemper virus in ferrets (*Mustela putorius furo*). *Veterinary Pathology*. 40, 464-467.
- Stern, L.B., Greenberg, M., Gershoni, J. M., Rozenblatt, S., 1995. The Hemagglutinin Envelope Protein of Canine Distemper Virus (CDV) Confers Cell Tropism as Illustrated by CDV and Measles Virus Complementation Analysis. *Journal of Virology*. 69, 1661–1668.
- Summers, B.A., Appel, M.J., 1994. Aspects of canine distemper virus and measles virus encephalomyelitis. *Neuropathology and Applied Neurobiology*. 20, 525-534.
- Takeda, M., Kato, A., Kobune, F., Sakata, H., Li, Y., Shioda, T., Sakai, Y., Asakawa, M., Nagai, Y., 1998. Measles virus attenuation associated with transcriptional impediment and a few amino acid changes in the polymerase and accessory proteins. *Journal of Virology*. 72, 8690-8696.
- Takeuchi, K., Takeda, M., Miyajima, N., Kobune, F., Tanabayashi, K., Tashiro, M., 2002. Recombinant Wild-Type and Edmonston Strain Measles Viruses Bearing Heterologous H Proteins: Role of H Protein in Cell Fusion and Host Cell Specificity. *Journal of Virology*. 76, 4891–4900.
- Tatsuo, H., Ono, N., Yanagi, Y., 2001. Morbilliviruses use signaling lymphocyte activation molecules (CD150) as cellular receptors. *Journal of Virology*. 75, 5842-5850.
- von Messling, V., Zimmer, G., Herrler, G., Haas, L., Cattaneo, R. 2001. The hemagglutinin of canine distemper virus determines tropism and cytopathogenicity. *Journal of Virology*. 75, 6418-6427.
- von Messling, V., Cattaneo, R. 2003. N-linked glycans with similar location in the fusion