



clones of HDAC2(-/-)	transcription factors	cultivation stages of HDAC2(-/-)				relative levels	mRNA levels	acetylation levels of K residues of H3	form of chromatin structure
		DT40	W	E	M				
cl.2-1	Pax5	●	—	—	—	—	high	hyper	loose
	Aiolos	—	—	●	—	—	low	hypo	tight
	EBF1	●	—	—	—	—	high	hyper	loose
cl.2-2 cl.2-4	Pax5	●	—	—	—	—	high	hyper	loose
	Aiolos	—	—	●	—	—	low	hypo	tight
	EBF1	●	—	—	—	—	high	hyper	loose
cl.2-6	Pax5	●	—	—	—	—	high	hyper	loose
	Aiolos	—	—	●	—	—	low	hypo	tight
	EBF1	●	—	—	—	—	high	hyper	loose
cl.2-6	Pax5	●	—	—	—	—	high	hyper	loose
	Aiolos	—	—	●	—	—	low	hypo	tight
	EBF1	●	—	—	—	—	high	hyper	loose
cl.2-6	Pax5	●	—	—	—	—	high	hyper	loose
	Aiolos	—	—	●	—	—	low	hypo	tight
	EBF1	●	—	—	—	—	high	hyper	loose